

SDS ID No.: AMNS-0008

## Safety Data Sheet (SDS)

### Section 1 – Identification

**1(a) Product Identifier used on Label:** Used Oil

**1(b) Other means of identification:** Lubricating oils, spent; Used lubricating oils; Waste lubricating oils; Waste motor oils, AMNS-0008

**1(c) Recommended use of the chemical and restrictions on use:** None

**1(d) Name, address, and telephone number:**

AM/NS Calvert LLC

Phone number: 251-289-3000

P.O. Box 456


Calvert, AL 36513

**1(e) Emergency phone number:** 1-760-476-3962 (Verisk 3E Company Code: 333211) or CHEMTREC (Day or Night): 1-800-424-9300

### Section 2 – Hazard(s) Identification

**2(a) Classification of the Chemical:** Used Oil is considered a hazardous material according to the criteria specified in REACH [REGULATION (EC) No 1907/2006] and CLP [REGULATION (EC) No 1272/2008] and OSHA 29 CFR 1910.1200 Hazard Communication Standard. The categories of Health Hazards as defined in “GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), Third revised edition ST/SG/AC.10/30/Rev. 3” United Nations, New York and Geneva, 2009 have been evaluated. Refer to Section 3, 8 and 11 for additional information.

**2(b) Signal word, hazard statement(s), symbols and precautionary statement(s):**

Hazard Symbol	Hazard Classification	Signal Word	Hazard Statement(s)
	Aspiration Hazard 1	<b>DANGER</b>	May be fatal if swallowed and enters airways.

**Precautionary Statement(s):**

Prevention	Response	Storage/Disposal
N/A	If swallowed: Immediately call a poison center or doctor/physician. Do NOT induce vomiting.	Store locked up. Dispose of contents in accordance with federal, state and local regulations.

**2(c) Hazards not otherwise classified:** None Known

**2(d) Unknown acute toxicity statement (mixture):** None Known

### Section 3 – Composition/Information on Ingredients

**3(a-c) Chemical name, common name (synonyms), CAS number and other identifiers, and concentration:**

Chemical Name	CAS Number	EC Number	% weight
Lubricating Oils, Used	70514-12-4	274-635-9	60-100
Water	7732-18-5	231-791-2	0-40

EC - European Community

CAS - Chemical Abstract Service

### Section 4 – First-aid Measures

**4(a) Description of necessary measures:** If exposed, concerned or feel unwell: Get medical advice/attention, call a poison center or doctor/physician.

- **Inhalation:** If inhaled: Remove person to fresh air and keep comfortable for breathing.
- **Eye Contact:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **Skin Contact:** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
- **Ingestion:** If swallowed: Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

**4(b) Most important symptoms/effects, acute and delayed (chronic):**
**Acute Effects:**

- **Inhalation:** Acute respiratory effects caused by overexposure may include coughing, sneezing, and swollen or irritated nasal mucosa and sinuses.
- **Eye:** Vapors or mist may cause irritation to the eyes and mucous membranes.
- **Skin:** Exposure to **Used Oil** can cause skin irritation characterized by skin itching, burning, swelling and redness.

**Section 4 – First-aid Measures (continued)****4(b) Most important symptoms/effects, acute and delayed (chronic) (continued):****Acute Effects (continued):**

- **Ingestion:** Ingestion of this product is an aspiration hazard. Product may enter airways and be fatal if swallowed.

**Delayed (chronic) Effects:**

- None known/Reported

**4(c) Immediate Medical Attention and Special Treatment:** If exposed or concerned: Get medical advice/attention.**Section 5 – Fire-fighting Measures**

**5(a) Suitable (and unsuitable) Extinguishing Media:** Extinguish using foam, dry powder or carbon dioxide. Use water to cool fire-exposed containers. If a leak or spill has not ignited, use water fog to disperse the vapors and to provide protection for personnel attempting to stop the leak. Avoid spraying directly into storage containers because of the danger of boil-overs.

**5(b) Specific Hazards arising from the chemical:** When burned, toxic smoke and vapor may be emitted including, oxides of carbon, aromatic and aliphatic hydrocarbons and other toxic vapors.

**5(c) Special protective equipment and precautions for fire-fighters:** Self-contained MSHA/NIOSH approved respiratory protection and full protective clothing should be worn when fumes and/or smoke from fire are present. Heat and flames cause emittance of acrid smoke and fumes. Do not release runoff from fire control methods to sewers or waterways. Firefighters should wear full face-piece self-contained breathing apparatus and chemical protective clothing with thermal protection. Direct water stream will scatter and spread flames and, therefore, should not be used. Evacuate area. Remove pressurized gas cylinders from the immediate vicinity. Cool containers exposed to flames with water until well after the fire is out. Close the valve if no risk is involved. Fight fire from a protected location. Prevent buildup of vapors or gases to explosive concentrations.

**Section 6 - Accidental Release Measures**

**6(a) Personal Precautions, Protective Equipment and Emergency Procedures:** For spills, clean-up personnel should be protected against contact with eyes and skin. Large spills should be diked and foam applied. Do not release into sewers or waterways. Use absorbent material such as vermiculite or sand to soak up spill. Contain material and follow normal clean-up procedures. Keep unnecessary people away. Isolate hazard area and deny entry. Stay upwind.

**6(b) Methods and materials for containment and clean up:** Collect material in appropriate, labeled containers for recovery or disposal in accordance with federal, state, and local regulations. Follow applicable OSHA regulations (29 CFR 1910.120) and all other pertinent state and federal requirements.

**Section 7 - Handling and Storage**

**7(a) Precautions for safe handling:** Handle and use in accordance with OSHA 29 CFR 1910.106 or local codes. Observe proper industrial hygiene practices. Emergency safety showers and eye wash stations should be present.

**7(b) Conditions for safe storage, including any incompatibilities:** Store in well-ventilated place. Keep cool. If feasible, store locked up.

**Section 8 - Exposure Controls / Personal Protection**

**8(a) Occupational Exposure Limits (OELs):** The following exposure limits are offered as reference, for an experienced industrial hygienist to review.

Ingredients	OSHA PEL <sup>1</sup>	ACGIH TLV <sup>2</sup>	NIOSH REL <sup>3</sup>	IDLH <sup>4</sup>
Oil Mist	5.0 mg/m <sup>3</sup> (mist, as mineral)	5.0 mg/m <sup>3</sup> (inhalable fraction <sup>5</sup> ) *	5.0 mg/m <sup>3</sup> (mist, as mineral) “STEL” 10 mg/m <sup>3</sup> (mist, as mineral)	2,500 mg/m <sup>3</sup> (as mineral)

NE - None Established

\* Mineral oil (pure, highly and severely refined), excluding metal working fluids

1. OSHA PELs (Permissible Exposure Limits) are 8-hour TWA (time-weighted average) concentrations unless otherwise noted. A (“C”) designation denotes a ceiling limit, which should not be exceeded during any part of the working exposure unless otherwise noted. A Short Term Exposure Limit (STEL) is defined as a 15-minute exposure, which should not be exceeded at any time during a workday. An Action level (AL) is used by OSHA and NIOSH to express a health or physical hazard. They indicate the level of a harmful or toxic substance/activity, which requires medical surveillance, increased industrial hygiene monitoring, or biological monitoring. Action Levels are generally set at one half of the PEL but the actual level may vary from standard to standard. The intent is to identify a level at which the vast majority of randomly sampled exposures will be below the PEL.
2. Threshold Limit Values (TLV) established by the American Conference of Governmental Industrial Hygienists (ACGIH) are 8-hour TWA concentrations unless otherwise noted. ACGIH TLVs are for guideline purposes only and as such are not legal, regulatory limits for compliance purposes. DSEN – May cause dermal sensitization. This notation is used to indicate the potential for dermal sensitization resulting from the interaction of an absorbed agent and ultraviolet light (i.e. photosensitization). RSEN – May cause respiratory sensitization.
3. The National Institute for Occupational Safety and Health Recommended Exposure Limits (NIOSH-REL)- Compendium of Policy and Statements. NIOSH, Cincinnati, OH (1992). NIOSH is the federal agency designated to conduct research relative to occupational safety and health. As is the case with ACGIH TLVs, NIOSH RELs are for guideline purposes only and as such are not legal, regulatory limits for compliance purposes.
4. The “immediately dangerous to life or health air concentration values (IDLHs)” are used by NIOSH as part of the respirator selection criteria and were first developed in the mid-1970's by NIOSH. The Documentation for Immediately Dangerous to Life or Health Concentrations (IDLHs) is a compilation of the rationale and sources of information used by NIOSH during the original determination of 387 IDLHs and their subsequent review and revision in 1994. Ca is designated as carcinogen.

## Section 8 - Exposure Controls / Personal Protection (continued)

**8(b) Appropriate Engineering Controls:** Use controls as appropriate to minimize exposure to oils during handling operations. Provide general or local exhaust ventilation systems to minimize airborne concentrations. Local exhaust is necessary for use in enclosed or confined spaces. Provide sufficient general/local exhaust ventilation in pattern/volume to control inhalation exposures below current exposure limits.

### 8(c) Individual Protection Measures:

- **Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, use only a NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. Concentration in air of the various contaminants determines the extent of respiratory protection needed. Half-face, negative-pressure, air-purifying respirator equipped with P100 filter is acceptable for concentrations up to 10 times the exposure limit. Full-face, negative-pressure, air-purifying respirator equipped with P100 filter is acceptable for concentrations up to 50 times the exposure limit. Protection by air-purifying negative-pressure and powered air respirators is limited. Use a positive-pressure-demand, full-face, supplied air respirator or self-contained breathing apparatus (SCBA) for concentrations above 50 times the exposure limit. If exposure is above the IDLH (Immediately dangerous to life or health) for any of the constituents, or there is a possibility of an uncontrolled release or exposure levels are unknown, then use a positive-demand, full-face, supplied air respirator with escape bottle or SCBA.

**Warning!** Air-purifying respirators both negative-pressure and powered-air do not protect workers in oxygen-deficient atmospheres.

- **Eyes:** Employees should be required to wear chemical safety glasses to prevent eye contact. A face shield should be used when appropriate to prevent contact with splashed materials. Chemical goggles, face shields or glasses should be worn to prevent eye contact. Contact lenses should not be worn where industrial exposure to this material is likely.
- **Skin:** Persons handling this product should wear appropriate clothing to prevent skin contact. Wear protective gloves.
- **Other protective equipment:** An eyewash fountain and deluge shower should be readily available in the work area.

## Section 9 - Physical and Chemical Properties

**9(a) Appearance (physical state, color, etc.):** Black oil

**9(b) Odor:** None

**9(c) Odor Threshold:** NA

**9(d) pH:** 7

**9(e) Melting Point/Freezing Point:** NA

**9(f) Initial Boiling Point and Boiling Range:**  $\geq 130^{\circ}\text{F}$  ( $\geq 54^{\circ}\text{C}$ )

**9(g) Flash Point:**  $>200^{\circ}\text{F}$

**9(h) Evaporation Rate:** NA

**9(i) Flammability (liquid):** Non-flammable

NA - Not Applicable

ND - Not Determined for product as a whole

**9(j) Upper/lower Flammability or Explosive Limits:** NA

**9(k) Vapor Pressure:** NA

**9(l) Vapor Density (Air = 1):** NA

**9(m) Relative Density:** 0.8-1 SG

**9(n) Solubility(ies):** ND

**9(o) Partition Coefficient n-octanol/water:** ND

**9(p) Auto-ignition Temperature:** ND

**9(q) Decomposition Temperature:** ND

**9(r) Viscosity:** 101-500

## Section 10 - Stability and Reactivity

**10(a) Reactivity:** Not Determined (ND) for product as a whole.

**10(b) Chemical Stability:** Stable under normal storage and handling conditions.

**10(c) Possibility of hazardous reaction:** No Data Found


**10(d) Conditions to Avoid:** Storage with incompatible materials. Avoid heat, flame, or ignition sources.

**10(e) Incompatible Materials:** Oxidizing agents.

**10(f) Hazardous Decomposition Products:** Oxides of carbon and nitrogen, aromatic hydrocarbons, and other toxic vapors may be released at high temperatures.

## Section 11 - Toxicological Information

**11 Information on Toxicological Effects:** The following toxicity data has been determined for **Used Oil** by using the information available for its components applied to the guidance on the preparation of an SDS under the GHS requirements of OSHA and the EU CPL. Individual hazard classification categories where the available toxicological data has met or exceeded a classification threshold are provided in the table below:

Hazard Classification	Hazard Category		Hazard Symbols	Signal Word	Hazard Statement
	EU	OSHA			
Aspiration Hazard (Category 1)	1	1 <sup>e</sup>		Danger	May be fatal if swallowed and enters airways.

\* NR Not Rated - Available data does not meet criteria for classification.

## Section 11 - Toxicological Information (continued)

### 11 Information on Toxicological Effects (continued):

Below is additional toxicological data regarding this product:

- a. No LC<sub>50</sub> or LD<sub>50</sub> has been established for **Used Oil**. The following data has been determined for the components:
  - **Mineral Oil:** LD<sub>50</sub> (rat) > 5000 mg/kg (REACH and IUCLID)
- b. No Skin (Dermal) Irritation data available for **Used Oil** as a mixture. The following Skin Irritation information was found for the components:
  - **Mineral Oil:** Rabbit Not Irritating (REACH and IUCLID).
- c. No Eye Irritation data available for **Used Oil** as a mixture. The following Eye Irritation information was found for the components:
  - **Mineral Oil:** Rabbit Not Irritating (REACH and IUCLID).
- d. No Skin (Dermal)/Respiratory Sensitization data available for **Used Oil** as a mixture. The following Skin (Dermal) Sensitization information was found for the components:
  - **Mineral Oil:** Guinea Pig Not Sensitizing (REACH and IUCLID).
- e. No Aspiration Hazard data available for **Used Oil** as a mixture. The following Aspiration Hazard information was found for the components:
  - **Mineral Oil:** Kinematic viscosity is ≤ 20.5.
- f. No Germ Cell Mutagenicity data available for **Used Oil** as a mixture. The following Mutagenicity and Genotoxicity information was found for the components:
  - **Mineral Oil:** Ames Negative. Mouse Lymphoma Negative.
- g. Carcinogenicity: IARC, NTP, and OSHA do not list **Used Oil** as carcinogens. The following Carcinogenicity information was found for the components:
  - **Mineral oil (pure, highly and severely refined):** IARC-3 (highly refined), unclassifiable as to carcinogenicity in humans; ACGIH TLV-A4, not classifiable as a human carcinogen
- h. No Toxic Reproduction data available for **Used Oil** as a mixture. The following Toxic Reproductive information was found for the components:
  - **Mineral Oil:** Rat Dermal OECD Repro screening NOAEL ≥ 1000 mg/kg /day. Rat Dermal 1 gen repro NOAEL ≥ 2000 mg/kg no effects.
- i. No Specific Target Organ Toxicity (STOT) following a Single Exposure data available for **Used Oil** as a mixture or its components.
- j. No Specific Target Organ Toxicity (STOT) following Repeated Exposure data was available for **Used Oil** as a whole. The following STOT following Repeated Exposure data was found for the components:

The above toxicity information was determined from available scientific sources to illustrate the prevailing posture of the scientific community. The scientific resources includes: The American Conference of Governmental Industrial Hygienist (ACGIH) Documentation of the Threshold Limit Values (TLVs) and Biological Exposure indices (BEIs) with Other Worldwide Occupational Exposure Values 2018, The International Agency for Research on Cancer (IARC), The National Toxicology Program (NTP) updated documentation, the World Health Organization (WHO) and other available resources, the International Uniform Chemical Information Database (IUCLID), European Union Risk Assessment Report (EU-RAR), Concise International Chemical Assessment Documents (CICAD), European Union Scientific Committee for Occupational Exposure Limits (EU-SCOEL), Agency for Toxic Substances and Disease Registry (ATSDR), Hazardous Substance Data Bank (HSDB), and International Programme on Chemical Safety (IPCS).

The following health hazard information is provided regardless to classification criteria and is based on the individual component(s):

#### Acute Effects by Component:

- **MINERAL OIL:** Aspiration hazard. May cause irritation to skin and eyes.

#### Delayed (chronic) Effects by Component:

- **MINERAL OIL:** Not Reported/ Not Classified

## Section 12 - Ecological Information

**12(a) Ecotoxicity (aquatic & terrestrial):** No Data Found

**12(b) Persistence & Degradability:** Loss due to volatility

**12(c) Bioaccumulative Potential:** No Data Found

**12(d) Mobility (in soil):** No Data Found

**12(e) Other adverse effects:** No Data Found

#### Additional Information:

**Hazard Category:** Not Reported

**Signal Word:** No Signal Word

**Hazard Symbol:** No Symbol

**Hazard Statement:** No Statement

## Section 13 - Disposal Considerations

**Disposal:** Dispose of in accordance with Local, State, Federal and International regulations. Observe safe handling precautions.

**Container Cleaning and Disposal:** Follow Local, State, Federal and International regulations. Observe safe handling precautions

## Section 14 - Transport Information

**14 (a-g) Transportation Information:**

**US Department of Transportation (DOT)** under 49 CFR 172.101 may regulate **Used Oil** as a hazardous material under certain circumstances. All Local, State, Federal and International laws and regulations that apply to the transport of this type of material must be adhered.

## Section 15 - Regulatory Information

**Regulatory Information:** The following listing of regulations relating to an AM/NS Calvert LLC product may not be complete and should not be solely relied upon for all regulatory compliance responsibilities.

This product and/or its constituents are subject to the following regulations:

**OSHA Regulations:** Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-2, Z-3): The product, **Used Oil** as a whole is not listed. However, individual components of the product are listed: Refer to Section 8, Exposure Controls and Personal Protection.

**EPA Regulations:** The product, **Used Oil** is not listed as a whole. However, individual components of the product are listed:

Components	Regulations
Not Applicable	Not Listed (However, individual components of the product may be listed.)

**SARA 311/312 Potential Hazard Categories:** Immediate Acute Health Hazard; Delayed Chronic Health Hazard

**Regulations Key:**

CAA	Clean Air Act (42 USC Sec. 7412; 40 CFR Part 61 [As of: 8/18/06])
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act (42 USC Secs. 9601(14), 9603(a); 40 CFR Sec. 302.4, Table 302.4, Table 302.4 and App. A)
CWA	Clean Water Act (33 USC Secs. 1311; 1314(b), (c), (e), (g); 136(b), (c); 137(b), (c) [as of 8/2/06])
RCRA	Resource Conservation Recovery Act (42 USC Sec. 6921; 40 CFR Part 261 App VIII)
SARA	Superfund Amendments and Reauthorization Act of 1986 Title III Section 302 Extremely Hazardous Substances (42 USC Secs. 11023, 13106; 40 CFR sec. 372.65) and Section 313 Toxic Chemicals (42 USC Secs. 11023, 13106; 40 CFR Sec. 372.65 [as of 6/30/05])
TSCA	Toxic Substance Control Act (15 U.S.C. s/s 2601 et seq. [1976])
SDWA	Safe Drinking Water Act (42 U.S.C. s/s 300f et seq. [1974])

**SARA 313 Supplier Notification:** The product, **Used Oil** does not contain any of the toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

**State Regulations:** The product, **Used Oil** as a whole is not listed in any state regulations. However, individual components of the product **may** be listed in various state regulations:

- **Pennsylvania Right to Know:** **Used Oil** as a whole is not listed. However, individual components of the product may be listed.

California Prop. 65: This product does not contain chemicals which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

- **New Jersey:** **Used Oil** as a whole is not listed. However, individual components of the product may be listed.
- **Minnesota:** **Lubricating Oils, Used** is listed on the Chemicals of High Concern.
- **Massachusetts:** **Used Oil** as a whole is not listed. However, individual components of the product may be listed.

**Other Regulations:** **Used Oil** as a whole may not be listed in other regulations. However, individual components may be listed, check appropriate regulations for further regulatory compliance.

**WHMIS Classification (Canadian):** The product, **Used Oil** is not listed as a whole. However, Mineral oil is listed as not a dangerous product according to HPR classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

## Section 16 - Other Information

**Prepared By:** AM/NS Calvert LLC

**Original Issue Date:** 06/08/2015

**Revised:** 3/15/2021


**Additional Information:****Hazardous Material Identification System (HMIS) Classification**

Health Hazard	1
Fire Hazard	0
Physical Hazard	0

HEALTH= 1, \* Denotes possible chronic hazard if airborne dusts or fumes are generated. Irritation or minor reversible injury possible.

FIRE= 0, Materials that will not burn.

PHYSICAL HAZARDS = 0, Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.

**National Fire Protection Association (NFPA)**

HEALTH = 1, Exposure could cause irritation but only minor residual injury even if no treatment is given.

FIRE = 0, Materials that will not burn.

INSTABILITY = 0, Normally stable, even under fire exposure conditions, and are not reactive with water.

## Section 16 - Other Information (continued)

## ABBREVIATIONS/ACRONYMS:

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>NIF</b>	No Information Found
<b>BEIs</b>	Biological Exposure Indices	<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>CAS</b>	Chemical Abstracts Service	<b>NTP</b>	National Toxicology Program
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation, and Liability Act	<b>ORC</b>	Organization Resources Counselors
<b>CFR</b>	Code of Federal Regulations	<b>OSHA</b>	Occupational Safety and Health Administration
<b>CNS</b>	Central Nervous System	<b>PEL</b>	Permissible Exposure Limit
<b>GI, GIT</b>	Gastro-Intestinal, Gastro-Intestinal Tract	<b>PNOR</b>	Particulate Not Otherwise Regulated
<b>HMIS</b>	Hazardous Materials Identification System	<b>PNOC</b>	Particulate Not Otherwise Classified
<b>IARC</b>	International Agency for Research on Cancer	<b>PPE</b>	Personal Protective Equipment
<b>LC50</b>	Median Lethal Concentration	<b>ppm</b>	parts per million
<b>LD50</b>	Median Lethal Dose	<b>RCRA</b>	Resource Conservation and Recovery Act
<b>LD<sub>Lo</sub></b>	Lowest Dose to have killed animals or humans	<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>LEL</b>	Lower Explosive Limit	<b>SARA</b>	Superfund Amendment and Reauthorization Act
<b>LOEL</b>	Lowest Observed Effect Level	<b>SCBA</b>	Self-contained Breathing Apparatus
<b>LOAEC</b>	Lowest Observable Adverse Effect Concentration	<b>SDS</b>	Safety Data Sheet
<b>µg/m<sup>3</sup></b>	microgram per cubic meter of air	<b>STEL</b>	Short-term Exposure Limit
<b>mg/m<sup>3</sup></b>	milligram per cubic meter of air	<b>TLV</b>	Threshold Limit Value
<b>mppcf</b>	million particles per cubic foot	<b>TWA</b>	Time-weighted Average
<b>MSHA</b>	Mine Safety and Health Administration	<b>UEL</b>	Upper Explosive Limit
<b>NFPA</b>	National Fire Protection Association		

**Disclaimer:** This information is taken from sources or based upon data believed to be reliable. Our objective in sending this information is to help you protect the health and safety of your personnel and to comply with the OSHA Hazard Communication Standard and Title III of the Emergency Planning and Community Right-to-Know Act. AM/NS Calvert LLC makes no warranty as to the absolute correctness, completeness, or sufficiency of any of the foregoing, or any additional, or other measures that may not be required under particular conditions. THIS AM/NS CALVERT LLC SDS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY, OR ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY IMPLIED WARRANTIES OTHERWISE ARISING FROM COURSE OF DEALING OR TRADE.



# Used Oil

**Signal Word: DANGER**

**Symbols:**



## HAZARD STATEMENTS:

May be fatal if swallowed and enters airways.

## PRECAUTIONARY STATEMENTS:

If swallowed: Immediately call a poison center or doctor/physician.

Do NOT induce vomiting.

Store locked up.

Dispose of contents in accordance with federal, state and local regulations.

**SDS ID No.: AMNS-0008**

AM/NS Calvert LLC

P.O. Box 456

Calvert, AL 36513

**General Information: Phone: 251-289-3000**

**CHEMTREC (Day or Night): 1-800-424-9300**

**Emergency Contact: 1-760-476-3962, (Verisk 3E Company Code: 333211)**

**Original Issue Date: 09/17/2014**

**Revised: 3/15/2021**